

# SAFETY DATA SHEET BIO WASHING POWDER

Date: JAN 2016 Page: 1 of 5

Revision: 2

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name: BIO WASHING POWDER** 

#### 1.2 Relevant identified uses of the substance/mixture and uses advised against

Heavy duty laundry detergent powder for automatic washing machines.

# 1.3 Details of the supplier of the safety data sheet

**SUPPLIER:** 

CHEMICAL SOLUTIONS UK
42 Kennel Lane
Fetcham
SURREY
08452500943

sales@chemical-solutions.co.uk

#### 1.4 Emergency telephone number

07904953893

# 2. Hazards identification

## 2.1 Classification of the substance or mixture

#### 2.1 Classification of the substance or mixture

Classification under CLP Regs.: Eye Dam. 1; H318;

#### 2.2 Label elements

Label elements under CLP:

Contains: Sodium metasilicate; Sodium percarbonate; Sodium alkylbenzene sulphonate.

Hazard pictograms: GHS05



Signal Word: Danger

Hazard Statements: H318: Causes serious eye damage.

Precautionary statements: PREVENTION: Wear protective gloves, clothing and eye protection. Wash hands thoroughly after

handling

**RESPONSE:** IF ON SKIN: Wash immediately with soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. Immediately call a POISON CENTRE or doctor/physician. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash before reuse.

#### 2.3 Other hazards

PBT: this material does not contain any substance identified as a PBT or vPvB substance

Date: JAN 2016 Page: 2 of 5

Revision: 2

# 3. Composition/information on ingredients

# 3.1 Substances

#### 3.2 Mixtures

#### **Hazardous ingredients:**

mazar ao ao mg	B. Ca.C					
CAS	EINECS	Classification CLP	Concentration %w/w			
Sodium carbonate (REACH Reg. No. 01-2119485498-19)						
497-19-8	207-838-8	Eye irrit.2 H319	10-20			
Sodium Carbonate Peroxyhydrate (REACH Reg. No. 01-2119457268-30)						
15630-89-4	239-707-6	Ox. Sol. 3 H272; Acute tox. 4 H302; Eye dam. 1 H318	5-10			
Sodium metasilicate						
10213-79-3	229-912-9	Met corr. 1 H290; Skin corr. 1B H314; STOT SE3 H335	2-5			
Sodium alkylbenzenesulphonate						
25155-30-0	270-115-0	Acute tox. 4 H302; Skin irrit. 2 H315; Eye dam. 1 H318	1-3			
Amylase						
9000-90-2	232-565-6	Resp. sens. 1 H334	0-1			
Lipase						
9001-01-1	232-619-9	Resp. sens. 1 H334	0-1			
Subtilisin						
9014-01-1	232-752-2	Skin irrit.2 H315; Eye dam. 1 H318; Resp. sens. 1 H334; STOT SE3 H335	0-1			

See section 16 for full text of H statements

# 4. First aid measures

## 4.1 Description of first aid measures

Eye contact: Flush with clean water for at least 15 minutes. Seek medical advice.

Skin contact: Remove at once all contaminated clothing. Wash area with soap and water. Seek medical advice if irritation persists.

**Ingestion:** DO NOT induce vomiting. Give water to drink and seek immediate medical attention.

Inhalation: Remove from exposure, keep warm and at rest. If symptoms persist get medical attention.

# 4.2 Most important symptoms and effects both acute and delayed

Severe irritation to eyes. Irritation to skin which may be delayed.

4.3 Indication of any immediate medical attention and special treatment needed

# 5. Fire fighting measures

## 5.1 Extinguishing media

# Suitable extinguishing agents:

Product is not flammable although irritating fumes may be given off in the event of fire. Choice of extinguisher should be based on other surrounding materials.

# **Unsuitable agents:**

# 5.2 Special hazards arising from the substance or mixture

Oxides of carbon, nitrogen and phosphorus may be produced due to thermal decomposition.

#### 5.3 Advice for firefighters

Self-contained breathing apparatus should be worn.

# 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid raising dust. Avoid contact with eyes and skin.

#### 6.2 Environmental precautions

Significant discharge into drains or water courses should be notified to the appropriate authority.

# 6.3 Methods and material for containment and cleaning up

Small spillages may be rinsed away with plenty of water. Larger spillages should be contained, collected and transferred to plastic container for disposal

Date: JAN 2016 Page: 3 of 5

Revision: 2

6./ cont.

## 6.4 Reference to other sections

See section 8 for protective equipment.

# 7. Handling and storage

# 7.1 Precautions for safe handling

Ensure adequate ventilation

## 7.2 Conditions for safe storage, including any incompatibilities

Store in original container, tightly closed. Keep in a dry place below 40°C.

## 7.3 Specific end use

See section 1

# 8. Exposure controls/personal protection

#### 8.1 Control parameters

## **Substances assigned Workplace Exposure Limits**

Name	type	Long term (8hrTWA)	Short term (15mins)
Dust, total	WEL	10mg/m <sup>3</sup>	
Dust, respirable	WEL	4mg/m <sup>3</sup>	

# 8.2 Exposure controls

Wear rubber gloves if skin contact is unavoidable. Wear eye protection to prevent eye contact if necessary. Avoid inhalation of dust.

# 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Appearance: Speckled white powder

Odour: bouquet

Density at 20°C: 1.1 kg/ltr

Solubility: Completely soluble in water.

pH(1% solution):9.5 Flash point: N/A Boiling point/range: N/A Vapour pressure: N/A

Oxidising: no

#### 9.2 Other information

No further relevant information

# 10.Stability and reactivity

# 10.1 Reactivity

Not reactive under normal conditions

# 10.2 Chemical stability

Stable under normal conditions

# 10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

10.5 Incompatible materials

Strong acids, reducing agents

## 10.6 Hazardous decomposition products

Oxides of carbon, nitrogen and phosphorus may be produced due to thermal decomposition.

Date: JAN 2016 Page: 4 of 5

Revision: 2

# 11.Toxicological information

# 11.1 Information on toxicological effects.

Eyes: Severe pain, redness and watering, possible damage.

Skin: Irritation, redness and defatting leading to cracking.

Ingestion: Sore throat and mouth, abdominal pain, vomiting.

Inhalation: Coughing, shortness of breath, irritation to membranes of nose and throat.

Toxic dose LD50 (oral, rat) Sodium carbonate 2800mg/kg; Sodium carbonate peroxyhydrate 1034mg/kg;

Sodium metasilicate 1280mg/kg; Sodium alkylbenzenesulphonate >2000mg/kg

# 12. Ecological information

#### 12.1 Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that release into the environment could have a damaging effect on aquatic organisms.

Ecotoxicity of ingredients: Sodium carbonate LC50 300mg/l (lepomis macrochirus, 96hrs), EC50 265mg/l (Daphnia, 48 hrs);

Sodium metasilicate LC50 3185mg/l (fish, 96 hrs), EC50 4857mg/l (Daphnia, 48 hrs);

Sodium carbonate peroxyhydrate LC50 71mg/l (fish, 96hrs), EC50 4.9mg/l (daphnia, 48hrs)

## 12.2 Persistence and degradability

No data for product itself.

#### 12.3 Bioaccumulative potential

Not expected to bioaccumulate.

#### 12.4 Mobility in soil

Soluble in water.

#### 12.5 Results of PBT and vPvB assessment

No components classed as PBT/vPvB by current criteria.

# 12.6 Other adverse effects

None known.

# 13.Disposal considerations

#### 13.1 Waste treatment methods

Comply with local regulations. Do not allow concentrate to enter water systems.

## 14.Transport information

## 14.1 UN Number

Not classified as hazardous for transport

14.2 UN Proper shipping name

14.3 Transport hazard class(es)

14.4 Packing group

14.5 Environmental hazards

14.6 Special precautions for user

# 15.Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

Detergents Regulations 2004/648/EC

Labelling; Contains less than 5% anionic surfactants, enzymes, perfume.

More than 30% phosphates.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this product.

Date: JAN 2016 Page: 5 of 5

Revision: 2

## 16.Other information

This safety data sheet has been prepared according to EU Commission Regulation 453/2010

The information supplied in this document is based on our present state of knowledge and is given in good faith. It is not intended and should not be construed as a specification or guarantee of specific properties. The responsibility remains with the user to comply with all relevant laws, regulations and directives, to make their own assessment of workplace risks and to determine the suitability of the product for a particular use or application.

The hazards information in this data sheet refers to the material as supplied and not to any subsequent dilution or mixture. The full text of the H statements referred to in section 3 are shown below. These classifications apply to the ingredients, in their concentrated form, which contribute to the classification of the product or mixture.

H272: May intensify fire: oxidiser

H290: May be corrosive to metals.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Cause skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335: May cause respiratory irritation.

#### Abbreviations and acronyms

ADR	<b>European Agreement concer</b>	ning the International	Carriage of Goods by Road
-----	----------------------------------	------------------------	---------------------------

**CAS** Chemical Abstracts Service

CHIP Chemicals (Hazard Information and Packaging) Regulations – Directives 1999/45.EC and 67/548/EC

CLP Classification and Labelling of Chemicals – Regulation (EC) No. 1272/2008

CMR Carcinogenic-mutagenic-toxic for reproduction

**EINECS** European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System of Classification and Labelling of Chemicals

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods Code

LC50 Lethal Concentration, 50%

LD50 Lethal Dose, 50%

OEL Occupational Exposure Limit
PBT Persistent, Bioaccumulative, Toxic
vPvB very Persistent, very Bioaccumulative

RID Convention concerning International Carriage by Rail

WEL Workplace Exposure Limit
VOC Volatile Organic Compound