

Date: JUN 2017 Page:1of5

Revision: 3

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Total Washroom Cleaner

1.2 Relevant identified uses of the substance/mixture and uses advised against

Water based hard surface cleaner.

1.3 Details of the supplier of the safety data sheet

SUPPLIER:

CHEMICAL SOLUTIONS UK

42 Kennel Lane Fetcham SURREY 08452500943

sales@chemical-solutions.co.uk

1.4 Emergency telephone number

01372 456108

2. Hazards identification

2.1 Classification of the substance or mixture Classification under CLP Regs.: Eye Dam. 1 H318

2.2 Label elements

Label elements under CLP:

Contains Alcohol ethoxylate; Alkyl ether sulphate

Hazard pictograms: GHS05



Signal Word: Danger

Hazard Statements: H318: Causes serious eye damage.

Precautionary statements: PREVENTION: Wear protective gloves, clothing and eye protection. Wash hands thoroughly after

handling

RESPONSE: IF ON SKIN (or hair): Wash immediately with soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. Immediately call a POISON CENTRE or doctor/physician. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash before reuse.

2.3 Other hazards

PBT: this material does not contain any substance identified as a PBT or vPvB substance

Date: JUN 2017 Page: 2of5

Revision: 3

3. Composition/information on ingredients

3.1 Substances N/A

3.2 Mixtures

Hazardous ingredients:

CAS	EINECS	Classification CLP	Concentration %w/w		
2-Methoxymethylethoxypropanol (REACH Reg. no. 01-2119450011-60)					
34590-94-8	252-104-2		2-5		
Ethoxylated alcohol C13 8EO					
Polymer		Acute tox.4 H302; Eye dam.1 H318	2-5		
Sodium C10-C16 alkyl ethoxysulphate					
68585-34-2	500-223-8	Skin irrit.2 H315; Eye dam.1 H318	1-3		
Phosphonate salt					
		Skin irrit. 2 H315: Eye irrit.2 H319	2-5		

See section 16 for full text of H statements

4. First aid measures

4.1 Description of first aid measures

Eye contact: Flush with clean water for at least 15 minutes. Seek medical advice.

Skin contact: Remove at once all contaminated clothing. Wash area with soap and water. Seek medical advice if irritation persists.

Ingestion: DO NOT induce vomiting. Give plenty of water to drink and seek immediate medical attention.

Inhalation: Move to fresh air. Seek medical attention if recovery is not rapid or complete

4.2 Most important symptoms and effects both acute and delayed

There may be irritation and redness at site of contact

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information

5. Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Product is not flammable although irritating fumes may be given off in the event of fire. Choice of extinguisher should be based on other surrounding materials. Containers may be kept cool with water spray.

Unsuitable agents:

5.2 Special hazards arising from the substance or mixture

Carbon dioxide and carbon monoxide may be produced

5.3 Advice for firefighters

Wear protective clothing to prevent contact in event of bursting containers

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Refer to sect. 8 of this SDS for protective clothing

6.2 Environmental precautions

Uncontrolled discharges into water courses must be notified to the appropriate regulatory authorities

Date: JUN 2017 Page:3of5

Revision: 3

6.3 Methods and material for containment and cleaning up

Small spillages may be rinsed away with plenty of water. Larger spillages should be contained and soaked up in inert medium such as sand or suitable sorbent material. Transfer to a labelled, sealed plastic container for disposal in accordance with local regulations.

6.4 Reference to other sections

See section 8 for personal protective measures.

7. Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin.

7.2 Conditions for safe storage, including any incompatibilities

Store in original container, tightly closed and out of reach of children. Do not mix with other chemicals.

7.3 Specific end use

See sect. 1.2

8. Exposure controls/personal protection

8.1 Control parameters

Substances assigned Workplace Exposure Limits

Name	type	Long term (8hr TWA)	Short term (15min)
2-Methoxymethylethoxypropanol	WEL	50ppm(sk)	

(sk) = may be absorbed through skin.

DNEL Methoxymethylethoxypropanol

Dermal	65mg/kg/day	workers	Long term
Inhalation	310mg/m ³	workers	Long term

PNEC Methoxymethylethoxypropanol: Fresh water 19mg/l; Marine water 1.9mg/l; STP 100mg/l; Soil 2.47 mg/kg

8.2 Exposure controls

Engineering measures: Ensure good ventilation.

Hands: Wear rubber or PVC gloves if skin contact is unavoidable.

Eyes: Safety goggles.

Skin: Appropriate workwear to prevent skin contact.

Respiratory: Avoid working in spray mist. Exposure limits apply to exposure by inhalation and are unlikely to be reached in normal

use.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Clear liquid pH: 7-9

Odour: Citrus **Solubility:** Completely soluble in water.

Density at 20°C: 1.03kg/ltr Flash point: N/A
Boiling point/range: >100°C Vapour pressure: N/A

Oxidising: No

9.2 Other information

No further relevant information.

10.Stability and reactivity

10.1 Reactivity

Not reactive under normal conditions but see section 10.5

10.2 Chemical stability

Stable under normal conditions of transport and storage.

10.3 Possibility of hazardous reactions

Hazardous reactions will not occur under normal conditions. See sect. 10.5

Date: JUN 2017 Page:4of5

Revision: 3

10.4 Conditions to avoid

No special measures

10.5 Incompatible materials

Avoid contact with acids, strong oxidising agents.

10.6 Hazardous decomposition products

Oxides of carbon and other fumes may be produced on decomposition at very high temperatures.

11.Toxicological information

11.1 Information on toxicological effects.

Toxic dose LD50 (oral, rat) Methoxymethylethoxypropanol 5135mg/kg. Ethoxylated alcohol C13: >200<2000mg/kg (oral, rat)

Effects of overexposure:-

Eyes: Severe pain, redness and watering, possible tissue damage.

Skin: Irritation on prolonged contact

Ingestion: Sore throat and mouth, abdominal pain, vomiting.

Inhalation (mist): Coughing, shortness of breath, irritation to membranes of nose and throat.

12. Ecological information

12.1 Toxicity

Ecotoxicity of ingredients: Ethoxylated alcohol LC50, 96hrs, fish: 1-10mg/l

12.2 Persistence and degradability

Components are biodegradable.

12.3 Bioaccumulative potential

The product will not bioaccumulate.

12.4 Mobility in soil

The product is soluble in water.

12.5 Results of PBT and vPvB assessment

The product does not contain any ingredient identified as a PBT or vPvB substance.

12.6 Other adverse effects

Uncontrolled discharge of concentrate may have adverse effects on aquatic organisms.

13. Disposal considerations

13.1 Waste treatment methods

Comply with local regulations. Do not allow concentrate to enter surface water systems. Residues should be disposed of as controlled waste to a licensed site.

Packaging: Used packaging should be cleaned thoroughly with water and may be suitable for recycling.

14.Transport information

14.1 UN Number

Not classified as hazardous for transport.

14.2 UN Proper shipping name

14.3 Transport hazard class(es)

14.4 Packing group

14.5 Environmental hazards

14.6 Special precautions for user

Date: JUN 2017 Page: 5of5

Revision: 3

15.Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

Detergent Regulations: Contains: less than 5% anionic surfactants, non-ionic surfactants, phosphates, perfumes.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this product.

16. Other information

This safety data sheet has been prepared according to EU Commission Regulation 453/2010

The information supplied in this document is based on our present state of knowledge and is given in good faith. It is not intended and should not be construed as a specification or guarantee of specific properties. The responsibility remains with the user to comply with all relevant laws, regulations and directives, to make their own assessment of workplace risks and to determine the suitability of the product for a particular use or application.

The hazards information in this data sheet refers to the material as supplied and not to any subsequent dilution or mixture. The full text of the H statements referred to in section 3 are shown below. These classifications apply to the ingredients, in their concentrated form, which contribute to the classification of the product or mixture.

H302: Harmful if swallowed.

H315: Cause skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Abbreviations and Acronyms

Tibit Laropean Tigreement Contenting the international Carriage or Cooks by House	ADR	European Agreement conce	rning the International	Carriage of Goods by Road
---	-----	---------------------------------	-------------------------	---------------------------

CAS Chemical Abstracts Service

CHIP Chemicals (Hazard Information and Packaging) Regulations – Directives 1999/45.EC and 67/548/EC

CLP Classification and Labelling of Chemicals – Regulation (EC) No. 1272/2008

CMR Carcinogenic-mutagenic-toxic for reproduction

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System of Classification and Labelling of Chemicals

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods Code

LC50 Lethal Concentration, 50%

LD50 Lethal Dose, 50%

OEL Occupational Exposure Limit
PBT Persistent, Bioaccumulative, Toxic
vPvB very Persistent, very Bioaccumulative

RID Convention concerning International Carriage by Rail

WEL Workplace Exposure Limit
VOC Volatile Organic Compound